


Perfil Polimadre



Perfil Polimadre	Dimensões e Propriedades								Momento Resistente						
	t	B	H	a	b	e	f	A	Massa	Y-Y			Z-Z		
	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[cm ²]	kg/m	C.G.z	I _y	W _y	C.G.y	I _z	W _z
	1,0	161,32	100	17	37	9	70	3,84	3,02	46,17	57,56	10,90	80,66	77,97	9,85
	1,3	161,27	100	17	37	9	70	4,97	3,90	46,08	74,00	14,06	80,64	100,65	12,79
	1,6	161,22	100	17	37	9	70	6,09	4,78	45,98	90,06	17,18	80,61	122,55	15,67
	1,0	164,82	120	17	37	10	70	4,24	3,33	55,91	88,40	14,01	82,41	87,84	10,86
	1,3	164,77	120	17	37	10	70	5,49	4,31	55,82	113,78	18,09	82,38	113,47	14,11
	1,6	164,72	120	17	37	10	70	6,73	5,29	55,74	138,64	22,13	82,36	138,27	17,29
	1,0	179,32	140	17	40	12	75	4,76	3,73	65,63	132,99	18,13	89,66	114,16	12,95
	1,3	179,27	140	17	40	12	75	6,16	4,84	65,55	171,37	23,43	89,63	147,69	16,84
	1,6	179,22	140	17	40	12	75	7,55	5,93	65,47	209,05	28,67	89,61	180,23	20,67
	2,0	179,15	140	17	40	12	75	9,39	7,37	65,37	258,23	35,55	89,57	222,08	25,65
	1,0	182,82	160	17	40	14	75	5,16	4,05	75,44	183,23	21,93	91,41	126,62	14,08
	1,3	182,77	160	17	40	14	75	6,68	5,25	75,37	236,27	28,35	91,38	163,91	18,33
	1,6	182,72	160	17	40	14	75	8,19	6,43	75,29	288,43	34,71	91,36	200,14	22,50
	2,0	182,65	160	17	40	14	75	10,20	8,00	75,20	356,64	43,07	91,32	246,81	27,94